

INDEX

A

ACCEPT attribute, <CFFILE> tags, CD: 136
ACTION attribute
 <CFFILE> tags, CD: 130–131
 <CFSCHEDULE> tags, CD: 179
actions, <CFDIRECTORY> tags, CD: 147
ALIGN attribute, <CFFORM> tags, CD: 15
APPEND attribute, <CFFILE> tags, CD: 131
APPENDKEY attribute, <CFTREE> tags, CD: 3
application file management, operating systems, CD: 152–160
application/msword, application/msexcel, MIME type, CD: 85
application/octet-stream, MIME type, CD: 85
application/unknown, MIME type, CD: 85
application/x-shockwave-flash, MIME type, CD: 85
ARGUMENTS attribute, <CFEXECUTE> tags, CD: 162
Attribute column, <CFDIRECTORY> ACTION, CD: 148
attributes, tags
 <CFCCONTENT>, CD: 86
 <CFDIRECTORY>, CD: 147
 <CFEXECUTE>, CD: 162
 <CFFILE>, CD: 136
 ACTION attributes, CD: 130–131
 <CFFORM>, CD: 15
 <CFGRID>, CD: 17
 <CFGRIDUPDATE>, CD: 23
 <CFPROCPARAM>, CD: 56
 <CFPROCREST>, CD: 49–52
 <CFREGISTRY>, CD: 166, CD: 168
 <CFSCHEDULE>, CD: 179–181
 <CFSLIDER>, CD: 37
 <CFSTOREDPROC>, CD: 46
 <CFTREE>, CD: 3
 <CFTREEITEM>, CD: 4

B

BGCOLOR attribute, <CFCOLUMN> tags, CD: 20
BOLD attribute, <CFFORM> tags, CD: 15
BORDER attribute, <CFFORM> tags, CD: 15
BORDER attribute, <CFTREE> tags, CD: 3
branch, Windows Registry, CD: 165
BRANCH attribute, <CFREGISTRY> tags, CD: 168
browsers, MIME types, CD: 85–86

C

<CFCCONTENT> tags
 attributes, CD: 86
 non-HTML content, CD: 86

<CFDIRECTORY> ACTION
 query columns, CD: 148
<CFDIRECTORY> tags
 actions, CD: 147
 attributes, CD: 147
 manipulating folders, CD: 146–147
<CFEXECUTE> tags, CD: 161–164
 attributes, CD: 162
<CFFILE> tags
 ACTION attributes, CD: 130–131
 attributes, CD: 136
 operating systems, CD: 129–131
 uploading files, CD: 136
 variables, CD: 137–138
<CFGGRID> tags, form controls, CD: 1
 arrays, CD: 26
 attributes, CD: 17
 basics, CD: 16–19
 <CFGGRIDCOLUMN> tags, CD: 19–22
 <CFGGRIDROW> tags, CD: 36
 <CFGGRIDUPDATE> tags
 attributes, CD: 23
 grids
 adding columns, CD: 19–22
 adding rows, CD: 36
 displaying images, CD: 33–36
 displaying in color, CD: 30–33
 editing, CD: 22–26
 processing edits, CD: 26–30
<CFGGRIDCOLUMN> tags, CD: 19–22
<CFGGRIDROW> tags, CD: 36
<CFGGRIDUPDATE> tags, CD: 26–30
<CFHTTP> tags, comma-separated text, CD: 91–92
<CFINCLUDE> tags, WML, CD: 117–118
<CFLOCK> tags, operating systems, CD: 161
CFML custom tags, *versus* stored procedures, CD: 44–45
<CFOBJECT> tags, Excel files, CD: 99–100
<CFPROCPARAM> tags
 attributes, CD: 56
 ordinal positioning, CD: 61
 parameters, CD: 56–60
<CFPROCREST> tags, CD: 49–54
 attributes, CD: 49–52
 Oracle, CD: 52–54
<CFQUERY> tags
 database syntax, CD: 69–70
 executing stored procedures, CD: 45–46
 ODBC/JDBC call command, CD: 67–69
 stored procedures, CD: 66–67
 using with <CFTREE> to generate tree items, CD: 6–10

<CFREGISTERY> tags
 actions, CD: 166
 attributes, CD: 166, CD: 168

<CFSCHEDULE> tags, CD: 187
 attributes, CD: 179–181
 event scheduling, CD: 179–182

<CFSLIDER> tags
 attributes, CD: 37
 basics, CD: 36–39

CFSQLTYPY attribute, <CFPROCPARAM> tags, CD: 56

<CFSTOREDPROC> tags, CD: 41
 attributes, CD: 46
 executing stored procedures, CD: 45
 stored procedures, CD: 46–48

CFTAPPLET> tags, CD: 39–40

CFTEXTINPUT> tags, CD: 39

<CTREE> tags, form controls, CD: 1
 attributes, CD: 3
 controlling appearance in user's application with
 <CFFORM>, CD: 15
 basics, 5–6, CD: 2
 data entry
 in categories and subcategories, CD: 10–14
 choosing output from two values, CD: 14–15
 troubleshooting problems, CD: 16
 using <CFQUERY> and <CTREEITEM> to generate
 tree items, CD: 6–10

<CTREEITEM> tags, form controls
 attributes, CD: 4
 <CFFORM>, CD: 15
 basics, 5–6, CD: 2
 data entry
 in categories and subcategories, CD: 10–14
 choosing output from two values, CD: 14–15
 troubleshooting problems, CD: 16
 using <CFQUERY> and <CTREE> to generate tree
 items, CD: 6–10

ColdFusion Administrator, event scheduling
 <CFSCHEDULE> tags, CD: 179–182
 creating tasks, CD: 175–178
 logging, CD: 173–174
 running, modifying, and deleting tasks, CD: 178–179

COLHEADERS attribute, <CFGRID> tags, CD: 17

color, displaying grids, CD: 30–33

columns, adding to grids in forms, CD: 19–22

comma-separated text, CD: 88–90
 <CFHTTP> tags, CD: 91–92
 Internet Explorer, CD: 90–91

COMPLETEPATH attribute, <CTREE> tags, CD: 3

content-disposition header, Internet Explorer,
 CD: 91

COPY attribute, <CFFILE> tags, CD: 130

copying files, server filesystem, CD: 133–135

custom tags, CD: 62

D

data types, parameters, CD: 61

DATAALIGN attribute, <CFCOLUMN> tags, CD: 20

databases, syntax, CD: 69–70

DATASOURCE attribute
 <CFGRIDUPDATE> tags, CD: 23
 <CFSTOREDPROC> tags, CD: 46

DateLastModified column, <CFDIRECTORY> ACTION,
 CD: 148

DELETE attribute
 <CFFILE> tags, CD: 130
 <CFGRID> tags, CD: 17

DELETEFILE attribute, <CFCONTENT> tags, CD: 86

DELIMITER attribute, <CTREE> tags, CD: 3

DESTINATION attribute, <CFFILE> tags, CD: 136

directories, manipulating folders, CD: 147–148

DIRECTORY attribute, <CFDIRECTORY> tags, CD: 147

DISPLAY attribute
 <CFCOLUMN> tags, CD: 19
 <CTREEITEM> tags, CD: 4

E

email applications, event scheduling, CD: 184–186

ENDDATE attribute, <CFSCHEDULE> tags, CD: 180

ENDTIME attribute, <CFSCHEDULE> tags, CD: 180

entry, Windows Registry, CD: 165

ENTRY attribute, <CFREGISTERY> tags, CD: 166

event scheduling
 basics, CD: 171–172

ColdFusion Administrator
 <CFSCHEDULE> tags, CD: 179–182
 creating tasks, CD: 175–178
 logging, CD: 173–174
 running, modifying, and deleting tasks,
 CD: 178–179

ColdFusion *versus* other types, CD: 172–173

email applications, CD: 184–186

POP3 application, CD: 183–184

verity collection, CD: 186–188

Excel files
 <CFOBJECT> tags, CD: 99–100
 file server-side, CD: 99
 spreadsheets
 HTML, CD: 95–99
 tab-separated text, CD: 93–95

EXPAND attribute, <CTREEITEM> tags, CD: 4

F

FILE attribute
 <CFCONTENT> tags, CD: 86
 <CFSCHEDULE> tags, CD: 180

FILEFIELD attribute, <CFFILE> tags, CD: 136

FILTER attribute, <CFDIRECTORY> tags, CD: 147

FONT attribute, <CFFORM> tags, CD: 15

FONTSIZE attribute, `<CFFORM>` tags, CD: 15
 form controls, Java-based
 `<CFFORM>` tags, attributes, CD: 15
 `<CFGGRID>` tags, CD: 1
 adding columns, CD: 19–22
 adding rows, CD2: 36
 attributes, CD: 17
 basics, CD: 16–19
 `<CFGGRIDCOLUMN>`, CD: 19–22
 `<CFGGRIDROW>` tags, CD2: 36
 `<CFGGRIDUPDATE>` tags, CD2: 26–30
 `<CFGGRIDUPDATE>` tags, attributes, CD2: 23
 displaying grids in color, CD2: 30–33
 displaying images in grids, CD2: 33–36
 edits, creating editable grids, CD2: 22–26
 edits, processing, CD2: 26–30
 `<CFSLIDER>` tags, CD: 1
 attributes, CD: 37
 basics, CD: 36–39
 `<CFTEXTINPUT>` tags, CD: 39
 `<CFTREE>` tags, CD: 1
 attributes, CD: 3
 basics, 5–6, CD: 2
 data entry, CD: 10–15
 troubleshooting problems, CD: 16
 using `<CFQUERY>` and `<CFTREEITEM>` to generate tree items, CD: 6–10
 `<CFTREEITEM>` tags
 attributes, CD: 4
 basics, 5–6, CD: 2
 data entry, CD: 10–15
 troubleshooting problems, CD: 16
 using `<CFQUERY>` and `<CFTREE>` to generate tree items, CD: 6–10
 Java Plug-in requirement, CD: 2
 text input applets, CD: 1
 form input, WML, CD: 123–127

G

GetAll action, CD: 168–169
 `<CFREGISTER>` tags, CD: 168–169
 GIF images, displaying in grids, CD2: 33–36
 GRID attribute, `<CFGGRIDUPDATE>` tags, CD: 23
 grids
 adding columns, CD: 19–22
 adding rows, CD2: 36
 basics, CD: 16–19
 `<CFGGRID>` tags, CD: 1
 `<CFGGRID>` tags, attributes, CD: 17
 `<CFGGRIDCOLUMN>` tags, CD: 19–22
 `<CFGGRIDROW>` tags, CD2: 36
 `<CFGGRIDUPDATE>` tag attributes, CD2: 23
 displaying images, CD2: 33–36
 displaying in color, CD2: 30–33
 editing, CD2: 22–26
 processing edits, CD2: 26–30

H

HEADER attribute, `<CFCOLUMN>` tags, CD: 19
 HEIGHT attribute, `<CFFORM>` tags, CD: 15
 HIGHLIGHTREF attribute, `<CFTREE>` tags, CD: 3
 HREF attribute, `<CFTREEITEM>` tags, CD: 4
 HSCROLL attribute, `<CFTREE>` tags, CD: 3
 HTML
 non-HTML content
 basics, CD: 83
 `<FCCONTENT>` tags, CD: 86
 comma-separated text, CD: 88–92
 Excel files, CD: 91–100
 media files, CD: 105–111
 MIME types, CD: 83–86
 plain text, CD: 87–88
 wireless applications, CD: 112–113
 WML, CD: 113–127
 Word files, CD: 100–104
 spreadsheets, CD: 95–99
 WML tags, CD: 114

I

image servers, media files, CD: 105–111
 IMG attribute, `<CFTREEITEM>` tags, CD: 4
 IMGPEN attribute, `<CFTREEITEM>` tags, CD: 4
 INSERT attribute, `<CFGGRID>` tags, CD: 17
 Internet Explorer
 comma-separated text, CD: 90–91
 content-disposition header, CD: 91
 INTERVAL attribute, `<CFSCHEDULE>` tags, CD: 180
 ITALIC attribute, `<CFFORM>` tags, CD: 15

J

Java-based form controls
 `<CFFORM>` tags, attributes, CD: 15
 `<CFGGRID>` tags, CD: 1
 adding `<CFGGRIDCOLUMN>` tags, CD: 19–22
 attributes, CD: 17
 basics, CD: 16–19
 `<CFGGRIDROW>` tags, CD2: 36
 `<CFGGRIDUPDATE>` tags, attributes, CD2: 23
 `<CFGGRIDUPDATE>` tags, processing grid edits, CD2: 26–30
 creating editable grids, CD2: 22–26
 displaying grids in color, CD2: 30–33
 displaying images in grids, CD2: 33–36
 `<CFSLIDER>` tags
 attributes, CD: 37
 basics, CD: 36–39
 `<CFAPPLET>` tags, CD: 39–40
 `<CFTEXTINPUT>` tags, CD: 39
 `<CFTREE>` tags, CD: 1
 attributes, CD: 3
 basics, 5–6, CD: 2
 with `<CFQUERY>` and `<CFTREEITEM>` to generate tree items, CD: 6–10

- data entry, CD: 10–15
 - troubleshooting problems, CD: 16
- <CFTREEITEM> tags, CD: 1
 - attributes, CD: 3
 - basics, 5–6, CD: 2
 - with <CFQUERY> and <CFTREE> to generate tree items, CD: 6–10
 - data entry, CD: 10–15
 - troubleshooting problems, CD: 16
- Java Plug-in requirement, CD: 2
 - text input applet, CD: 1
- Java Plug-in, requirement for form controls, CD: 2
 - JPEG images, displaying in grids, CD: 33–36
- K**
- key, Windows Registry, CD: 165
- KEYONLY attribute, <CFGGRIDUPDATE> tags, CD: 23
- L**
- LABEL attribute, <CFSLIDER> tags, CD: 37
- listings
 - event scheduling
 - code modifying existing task, CD: 182
 - ListUnsubscribe_Task.cfm, CD: 183
 - OWS_Verity_Update.cfm, CD: 187
 - Promo_Email.cfm, CD: 185
 - using <CFSCHEDULE> to schedule new scheduled task, CD: 181
 - form controls, Java-based
 - ActorGrid3b.cfm (grids, updating individually), CD: 27–29
 - ActorGrid1.cfm (grids), CD: 18–19
 - ActorGrid2.cfm (grids, displaying columns), CD: 20–21
 - ActorGrid3.cfm (grids, editing), CD: 24–25
 - ActorGrid4.cfm (highlighting values with formatting), CD: 32–33
 - ExpenseCats.txt (categories and subcategories), CD: 11
 - ExpenseExtry.cfm (categories and subcategories, displaying), CD: 11–13
 - FilmEntry.cfm (slider controls), CD: 38–39
 - FilmGrid.cfm (displaying images), CD: 34–35
 - TreeControl1.cfm (tree controls, building), CD: 5–6
 - TreeControl2.cfm (tree controls, adding query information), CD: 7–9
 - non-HTML content
 - AdClick.cfm (responding to banner Ad click), CD: 109
 - AdServer2.cfm (recording Ad hits), CD: 108
 - AdServer1.cfm (using <CFCONTENT> to respond with image), CD: 105–106
 - AdServerTest.cfm (displaying images served by ColdFusion template), CD: 110
- Application.cfm (tracking Ad views), CD: 108
- FetchCommaSep.cfm, CD: 92
- FileCommaSep.cfm, CD: 89
- FilmsToExcel.cfm (generating tab-separated text), CD: 93
- FilmsToExcelPrettier.cfm (CSS formatting and cell formulas), CD: 97–98
- FilmsToExcelPretty.cfm (HTML table for display in Excel), CD: 96
- RetireActor.cfm (producing personalized Word document), CD: 101–103
- TextMessage1.cfm, CD: 87
- TextMessage2.cfm, CD: 87
- WapIncludePrologue.cfm (sending WAP Prologue in Included Template), CD: 117–118
- WapIndex5.cfm (allowing user to run searches), CD: 124–125
- WapIndex4.cfm (generating WML dynamically), CD: 120–121
- WapIndex3.cfm (multiple cards in same deck), CD: 119
- WapIndex1.cfm (presenting simple text and links), CD: 114–115
- WapMov.cfm (enabling user to browse list of movies), CD: 122–123
- WapSearch.cfm (responding to form input), CD: 126
- operating systems
 - ActorPhotoAction.cfm, CD: 158–159
 - ActorPhotoForm.cfm, CD: 156–157
 - ActorPhotoList.cfm, CD: 153–154
 - <CFEXECUTE> arguments, CD: 161–164
 - ExecuteIPConfig.cfm (output from IPCONFIG), CD: 163–164
 - RegistryGetAll.cfm, CD: 168–169
 - RegistryGet.cfm, CD: 167
 - SimpleFileCopy.cfm (<cffile> tags with ACTION attribute set to COPY), CD: 134
 - SimpleFileDelete.cfm (<cffile> tags with ACTION attribute set to DELETE), CD: 135
 - SimpleFileExplorer.cfm (listing files and folders within directory), CD: 149–151
 - SimpleFileMove.cfm (<cffile> tags with ACTION attribute set to MOVE), CD: 134
 - SimpleFileRead.cfm (reading README.txt into variable), CD: 131–132
 - SimpleFileRename.cfm (<cffile> tags with ACTION attribute set to RENAME), CD: 135
 - SimpleFileWrite.cfm (altering contents of text files), CD: 132–133
 - UploadAction.html, CD: 141–142
 - UploadForm.html (HTML form for file upload), CD: 140
 - UploadForm2.html (modification of HTML), CD: 144–145

stored procedures
 creating `InsertFilm`, CD: 78
`FilmEntry1a.cfm` (calling stored procedures), CD: 67–69
`FilmEntry2.cfm` (collecting input parameters), CD: 57–59
`FilmEntry1.cfm` (retrieving recordsets), CD: 50–51
`FilmEntry20oracle.cfm` (Oracle `InsertFile` stored procedure), CD: 79–81
`FilmEntryOracle.cfm` (retrieving data from reference cursor in Oracle), CD: 53–54
`InsertFilm.cfm` (input parameters), CD: 73–74
`InventoryMaintenanceRun.cfm`, CD: 47
 Oracle reference cursors, CD: 82
 returning multiple recordsets, CD: 75
`ShowFilmExpenses.cfm` (multiple recordsets), CD: 62–64
`ShowFilmExpensesOracle.cfm` (multiple reference cursors from Oracle), CD: 65–66
`LOOKANDFEEL` attribute, `<CFFORM>` tags, CD: 15

M

manipulating folders
 building simple file explorer, CD: 148–152
 directory contents, CD: 147–148
 operating systems, `<CFDIRECTORY>` tags, CD: 146–147
`MAXLENGTH` attribute, `<CFPROCPARAM>` tags, CD: 56
`MAXROWS` attribute
`<CFGRID>` tags, CD: 17
`<CFPROCRESULT>` tags, CD: 49
 media files
 image server, CD: 105–111
`MESSAGE` attribute, `<CFTREE>` tags, CD: 3
 Microsoft Excel files
`<CFOBJECT>` tags, CD: 99–100
 file server-side, CD: 99
 spreadsheets
 HTML, CD: 95–99
 tab-separated text, CD: 93–95
 Microsoft Word files, CD: 100–104
 MIME types
 basics, CD: 83–85
 browsers, CD: 85–86
`MODE` attribute, `<CFDIRECTORY>` tags, CD: 147
`MOVE` attribute, `<CFFILE>` tags, CD: 130
 moving files, server filesystem, CD: 133–135
`MSPACE` attribute, `<CFFORM>` tags, CD: 15
 multiple cards, WML, CD: 118–119
 multiple users, uploading files, CD: 136–137

N

`NAME` attribute
`<CFCOLUMN>` tags, CD: 19
`<CFDIRECTORY>` tags, CD: 147

`<CFEXECUTE>` tags, CD: 162
`<CFGGRID>` tags, CD: 17
`<CFPROCRESULT>` tags, CD: 49
`<CFREGISTER>` tags, CD: 168
`<CFSLIDER>` tags, CD: 37
`<CFTREE>` tags, CD: 1, CD: 3
 Name column, `<CFDIRECTORY>` ACTION, CD: 148
`NAMECONFLICT` attribute, `<CFFILE>` tags, CD: 136
`NEWDIRECTORY` attribute, `<CFDIRECTORY>` tags, CD: 147
 non-HTML content
 basics, CD: 83
`<CFCONTENT>` tags, CD: 86
 comma-separated text, CD: 88–90
`<CFHTTP>` tags, CD: 91–92
 Internet Explorer, CD: 90–91
 Excel files, CD: 91–92
`<CFOBJECT>` tags, CD: 99–100
 file server-side, CD: 99
 spreadsheets, CD: 93–99
 media files
 image server, CD: 105–111
 MIME types, CD: 83–85
 browser, CD: 85–86
 plain text, CD: 87–88
 wireless applications
 basics, CD: 112
 UP.SDK, CD: 112–113
 WML
 basics, CD: 113–114
 browsing records, CD: 121–123
`<CFINCLUDE>` tags, CD: 117–118
 data-driven cards, CD: 119–121
 form input, CD: 123–127
 multiple cards, CD: 118–119
 UP.Simulator, CD: 115–117
 writing code, CD: 114–115
 Word files
 RTF, CD: 100–104
`NULL` attribute, `<CFPROCPARAM>` tags, CD: 56

O

ODBC/JDBC call command, CD: 67–69
 open configuration, UP.Simulator, CD: 116
 operating systems
`<CFFILE>` tags, CD: 129–131
 executing programs on server, CD: 161–164
 manipulating folders
 building simple file explorer, CD: 148–152
`<CFDIRECTORY>` tags, CD: 146–147
 directory contents, CD: 147–148
 protecting file access, CD: 161
 server filesystems, CD: 131–135
 system registry, CD: 165–170
 uploading files
 basics, CD: 135–136

- building interface, CD: 138–146
- multiple users, CD: 136–137
- status, CD: 137–138
- OPERATION** attribute, `<CFSCHEDULE>` tags, CD: 180
- Oracle
 - `<CFPROCRESULT>` tags, CD: 52–54
 - reference cursor, CD: 52–54
- ordinal positioning, CD: 61
- OUTPUTFILE** attribute, `<CFEXECUTE>` tags, CD: 162

- P**
- parameters
 - `<CFPROCPARAM>` tags, CD: 56–60
 - data types, CD: 61
 - positioning, CD: 61
 - ordinal positioning, CD: 61
 - stored procedures, CD: 54–56
- PARENT** attribute, `<CFTREEITEM>` tags, CD: 4
- PASSWORD** attribute, `<CFSCHEDULE>` tags, CD: 180
- PATH** attribute, `<CFSCHEDULE>` tags, CD: 180
- plain text, non-HTML content, CD: 87–88
- POP3 application, event scheduling, CD: 183–184
- PORT** attribute, `<CFSCHEDULE>` tags, CD: 181
- PROCEDURE** attribute, `<CFSTOREDPROC>` tags, CD: 46
- PROXYPORT** attribute, `<CFSCHEDULE>` tags, CD: 181
- PROXYSERVER** attribute, `<CFSCHEDULE>` tags, CD: 181
- PUBLISH** attribute, `<CFSCHEDULE>` tags, CD: 180

- Q**
- QUERY** attribute
 - `<CFGGRID>` tags, CD: 17
 - `<CFTREEITEM>` tags, CD: 4
- query columns, `<CFDIRECTORY> ACTION`, CD: 148
- QUERYASROOT** attribute, `<CFTREEITEM>` tags, CD: 4

- R**
- RANGE** attribute, `<CFSLIDER>` tags, CD: 37
- READ** attribute, `<cffile>` tags, CD: 131
- READBINARY** attribute, `<cffile>` tags, CD: 131
- records
 - multiple, CD: 62–66
 - SQL server, CD: 74–75
 - stored procedures, CD: 49–54
- reference cursor, Oracle, CD: 52–54
- REFRESHLABEL** attribute, `<CFSLIDER>` tags, CD: 37
- reload, UP.Simulator, CD: 116
- RENAME** attribute, `<cffile>` tags, CD: 130
- renaming files, server filesystem, CD: 133–135
- REQUESTTIMEOUT** attribute, `<CFSCHEDULE>` tags, CD: 180
- REQUIRED** attribute, `<CFTREE>` tags, CD: 3
- RESET** attribute, `<cfcontent>` tags, CD: 86
- RESOLVEURL** attribute, `<CFSCHEDULE>` tags, CD: 180
- RESULTSET** attribute, `<CFPROCRESULT>` tags, CD: 49
- RETURNCODE** attribute, `<CFSTOREDPROC>` tags, CD: 46
- ROWHEADERS** attribute, `<CFGGRID>` tags, CD: 17
- rows, adding to grids in forms, CD2: 36
- RTF (Rich Text Format), Word files, CD: 100–104

- S**
- SCALE** attribute, `<CFPROCPARAM>` tags, CD: 56
- SCALE** attribute, `<CFSLIDER>` tags, CD: 37
- scheduling events
 - basics, CD: 171–172
 - ColdFusion Administrator
 - `<CFSCHEDULE>` tags, CD: 179–182
 - creating tasks, CD: 175–178
 - logging, CD: 173–174
 - running, modifying, and deleting tasks, CD: 178–179
 - ColdFusion *versus* other types, CD: 172–173
 - email applications, CD: 184–186
 - POP3 application, CD: 183–184
 - verity collection, CD: 186–188
- servers
 - executing programs, CD: 161–164
 - filesystems
 - operating systems, CD: 131–135
 - manipulating folders, CD: 146–147
 - server-based stored procedures, CD: 41
- Size** column, `<CFDIRECTORY> ACTION`, CD: 148
- sliders, form controls, CD: 36–39
- SORT** attribute
 - `<CFDIRECTORY>` tags, CD: 147
 - `<CFREGISTRY>` tags, CD: 168
- source, UP.Simulator, CD: 116
- spreadsheets
 - HTML, CD: 95–99
 - tab-separated text, CD: 93–95
- SQL queries, stored procedures, CD: 41
- SQL servers, CD: 71–75
 - parameters, CD: 73–74
 - recordsets, CD: 74–75
 - status code, CD: 73–74
- STARTDATE** attribute, `<CFSCHEDULE>` tags, CD: 180
- STARTTIME** attribute, `<CFSCHEDULE>` tags, CD: 180
- status codes
 - stored procedures, CD: 54–56
- stored procedures
 - advantages, CD: 42–44
 - basics, CD: 41–42
 - versus* CFML custom tags, CD: 44–45
 - `<CFQUERY>` tags, CD: 66–67
 - database syntax, CD: 69–70
 - ODBC/JDBC call command, CD: 67–69
 - custom tags, CD: 62
 - database syntax, CD: 69–70
 - executing procedures, CD: 45–46
 - Oracle, CD: 76–82
 - parameters, CD: 54–56
 - `<CFPROCPARAM>` tags, CD: 56–60

data types, CD: 61
 positioning, CD: 61
 recordsets, CD: 49–54
 <CFPROCRESULT> tags, CD: 49–54
 multiple, CD: 62–66
 SQL servers, CD: 71–75
 recordsets, CD: 74–75
 status code, CD: 54–56

T

tab-separated text, spreadsheets, CD: 93–95
 TABLENAME attribute, <CFGGRIDUPDATE> tags, CD: 23
 TARGET attribute, <CFTREEITEM> tags, CD: 43
 TASK attribute, <CFSCHEDULE> tags, CD: 179
 text, comma-separated, CD: 88–90
 text/gif, image/jpeg, MIME type, CD: 84
 text/html, MIME type, CD: 84
 text input applet form control, CD: 1
 text input applets, Java-based form controls
 <CFAPPLET> tags, CD: 39–40
 <CFTEXTINPUT> tags, CD: 39
 text/plain, MIME type, CD: 84
 text/vnd.wap.wml, MIME type, CD: 84
 TEXTCOLOR attribute, <CFCOLUMN> tags, CD: 20
 TICKMARKLABELS attribute, <CFSLIDER> tags, CD: 37
 TICKMARKMAJOR attribute, <CFSLIDER> tags, CD: 37
 TIMEOUT attribute, <CFEXECUTE> tags, CD: 162
 troubleshooting problems, Java-based form controls, CD: 16
 TYPE attribute
 <CFCOLUMN> tags, CD: 19
 <CFCONTENT> tags, CD: 86
 <CFPROCPARAM> tags, CD: 56
 TYPE attribute, <CFREGISTRY> tags, CD: 166
 TYPE attribute<CFREGISTRY> tags, CD: 168
 Type column, <CFDIRECTORY> ACTION, CD: 148

U

UPLOAD attribute, <cffile> tags, CD: 131
 uploading files
 building interface, CD: 138–146
 multiple users, CD: 136–137
 operating systems, CD: 135–136
 status, CD: 137–138
 UP.SDK wireless applications, CD: 112–113
 UP.Simulator, WML, CD: 115–117
 URL attribute, <CFSCHEDULE> tags, CD: 180
 USERNAME attribute, <CFSCHEDULE> tags, CD: 180

V

value, Windows Registry, CD: 165
 VALUE attribute
 <CFPROCPARAM> tags, CD: 56
 <CFSLIDER> tags, CD: 37
 <CFTREEITEM> tags, CD: 4
 VALUES attribute, <CFCOLUMN> tags, CD: 20
 VALUESDELIMETER attribute, <CFCOLUMN> tags, CD: 20
 VALUESDISPLAY attribute, <CFCOLUMN> tags, CD: 20
 VARIABLE attribute, <CFPROCPARAM> tags, CD: 56
 VARIABLE attribute, <CFREGISTRY> tags, CD: 166
 variables, <cffile>, CD: 137–138
 Verity collection
 event scheduling, CD: 186–188
 VERTICAL attribute, <CFSLIDER> tags, CD: 37
 video/x-msvideo, video/vnd.rn-realvideo, MIME type, CD: 85
 VSPACE attribute, <CFFORM> tags, CD: 15
 VSCROLL attribute, <CFTREE> tags, CD: 3

W - Z

WAP (Wireless Application Protocol)
 wireless applications, CD: 112
 basics, CD: 112
 devices, CD: 112
 gateways, CD: 112
 UP.SDK, CD: 112–113

WIDTH attribute
 <CFCOLUMN> tags, CD: 19
 <CFFORM> tags, CD: 15

Windows Registry, CD: 165

Wireless Application Protocol. *See* WAP

WML (Wireless Markup Language)
 basics, CD: 113–114
 browsing records, CD: 121–123
 <CFINCLUDE> tags, CD: 117–118
 data-driven cards, CD: 119–121
 form input, CD: 123–127
 multiple cards, CD: 118–119
 tags
 HTML equivalents, CD: 114
 UP.Simulator, CD: 115–117
 wireless applications, CD: 112
 writing code, CD: 114–115

Word files, RTF, CD: 100–104

WRITE attribute, <cffile> tags, CD: 131